



HAMSPHERE – MIS SEE ON?

ES7GM

MIDA KUJUTAB ENDAST HAMSPHERE?

- Virtuaalne transiiver arvutis ja mobiilis
- Looja Kelly – 5B4AIT
- Hetkeseisuga 20 000 kasutajat
- Uusim versioon HamSphere 4
- Kutsungid (304HSxxx, 14HSxxx, ES7GM, jne)
- SSB/CW (CW on tasuline)
- Antennid
- Levi, VOACAP
- Reaalajas toimiv cluster
- Contesting
- Pile-Up
- Nõrk külge logi pidamine
- QSL-id



Welcome to HamSphere 4.0. Please login with your call sign and password, or click [New Account](#).

Welcome to HamSphere 4.0

[Upgrade to 4.006](#)

[Video tutorials by Mike, WB7ECW](#)

[Short User Manual - PDF](#)

[HamSphere 4.0 Website](#)

[VOACAP Shortwave Propagation Prediction](#)

[Latest updates](#)

Version: 4.006

Logged in as ES9A, ES9A. QTH: Tallinn, 59.437200, 24.745300, DX-User

Welcome to HamSphere 4.0

[Upgrade to 4.006](#)

[Video tutorials by Mike, WB7ECW](#)

[Short User Manual - PDF](#)

[HamSphere 4.0 Website](#)

[VOACAP Shortwave Propagation Prediction](#)

[Latest updates](#)

HamSphere

Copyright (C) 2014 K. Lindman

ES9A

Tallinn
DX-User

Server ver: 4.2.10

Welcome to HamSphere 4.0 (2)
True HF, VHF and UHF Radio
Simulation for Ham Radio
operators and Radio
Enthusiasts.

Send DX Spot

DX Mon (off)

SML



VFO 1 **LSB** FIL 2 **RX**
07.075.000

ENT	160m	80m	60m
BC	40m	30m	20m
17m	15m	12m	11m
10m	6m	2m	70cm

ANTENNA SELECTOR

- 5-element Yagi (40m)
- Cardioid (40m)
- Inverted-V Dipole (40m)**
- IDC Vertical (10-160m)
- Beverage 300m (80-40)

FILP Inverted-V Dipole (40m)


3.2kc	2.8kc	2.3kc	1.8kc
1.4kc	0.8kc	CW 1	CW 2

- 0:Primary Sound Driver
- 0:Primary Sound Captu...

USB **LSB** CW

FM CH- CH+

PTT VOX POWER



LRT

VOL POWER MIC RF GAIN VOX GAIN

Main Log Book

HamSphere

Copyright (C) 2014 K. Lindman

ES9A

Tallinn
DX-User

Server ver: 4.2.10

Welcome to HamSphere 4.0 (2)
True HF, VHF and UHF Radio
Simulation for Ham Radio
operators and Radio
Enthusiasts.

- 20:41:54 SPOT: 43HS2026 10130.0
- 20:43:02 SPOT: RA4PB 7050.0
- 20:44:11 SPOT: 29HS514 1830.0
- 20:45:48 SPOT: 14HS2117 7090.0
- 20:46:16 SPOT: 29HS514 1830.0

Send DX Spot

DX Mon (off)

SML

Your Call sign: ES9A HS-Log 4.0 HELP BACK

Date	UTC	Call	Name	Freq	Mode	RST	Comment	Reset
25 Feb 2015	20:46			7075	LSB	59	/	Log QSO

Log Book Find: QSO 1 to 4 of 4

14 Feb 2015	10:21	JS1ICY	WATA	14237	USB	59	TNX	S R X
13 Feb 2015	21:37	G4SFG	TONY	7020	LSB	59		S R X
13 Feb 2015	21:37	19HS291	HANS	7020	LSB	59	TNX	S R X
12 Feb 2015	14:03	HB3YNI	MARKUS	21345	USB	59	FB QSO	S R X

ANTENNA SELECTOR

- 5-element Yagi (40m)
- Cardioid (40m)
- Inverted-V Dipole (40m)**
- IDC Vertical (10-160m)
- Beverage 300m (80-40)

FILP Inverted-V Dipole (40m)

3.2kc	2.8kc	2.3kc	1.8kc
1.4kc	0.8kc	CW 1	CW 2

- 0:Primary Sound Driver
- 0:Primary Sound Captu...

USB **LSB** CW

FM CH- CH+

PTT VOX POWER

Main Log Book